


LED Test Report

Product Mark

Product Type :2835 60LED 12V 3000K
 Temperature : 'C
 Operator :admin
 Remark:2835 60LED 12V 3000K

Manufacturer :admin
 Humidity :65%
 Test Date :2020-03-30 21:55:20



Chroma Parameters

Chro.Coor.:x=0.4379 y=0.3966 u=0.2545 v=0.3457 duv=-0.0031
 CCT: 2922K Dominant Wave.:584.3nm Purity:50.5%
 Flux RGB Ratio:R=23.6%,G=74.9%,B=1.5% Peak Wave:604.7nm Half Width:126.7nm

Rendering Index:Ra= 82.6

R1 =81	R2 =90	R3 =97	R4 =82	R5 =83	R6 =89	R7 =81	R8 =59
R9 =10	R10=78	R11=81	R12=73	R13=83	R14=99	R15=74	

Photo Parameters

Flux:988.94lm Effi.:108.2lm/W Radiant:2656.7mW Iv:0.0mcd
 Efficiency:0.156 Effi Level:A+ (EU 874-2012)

Ele. Parameters

Voltage:U=11.930V Current:I=0.7660A
 Power:P=9.14W Power Factor:PF=1.000

Instrument state

Instrument:Hopoo HP8000S Integral Time: 144.580ms VPeak: 14712
 VDark: 1146 Scan Range: 380-780nm Product ID: 201609150