


LED Test Report

Product Mark

Product Type :2835 60LED 12V 6000K
 Temperature : 'C
 Operator :admin
 Remark:2835 60LED 12V 6000K

Manufacturer :admin
 Humidity :65%
 Test Date :2020-03-30 21:58:34



Chroma Parameters

Chro.Coor.:x=0.3125 y=0.3387 u=0.1941 v=0.3156 duv=0.0082
 CCT: 6451K Dominant Wave.:495.0nm Purity:6.7%
 Flux RGB Ratio:R=13.0%,G=82.6%,B=4.4% Peak Wave:454.6nm Half Width:23.0nm

Rendering Index:Ra= 81.6

R1 =79	R2 =89	R3 =95	R4 =78	R5 =79	R6 =83	R7 =85	R8 =65
R9 =-2	R10=74	R11=77	R12=54	R13=82	R14=98	R15=72	

Photo Parameters

Flux:969.45lm Effi.:106.3lm/W Radiant:2365.3mW Iv:0.0mcd
 Efficiency:0.170 Effi Level:A+ (EU 874-2012)

Ele. Parameters

Voltage:U=11.940V Current:I=0.7640A
 Power:P=9.12W Power Factor:PF=1.000

Instrument state

Instrument:Hopoo HP8000S Integral Time: 115.664ms VPeak: 14568
 VDark: 1100 Scan Range: 380-780nm Product ID: 201609150